



Supplier
Qualification
Scheme



Certificate of Audit

This is to certify that

Supplier Name

SigTech Rail Consultancy Ltd

Supplier Number

6347

is now qualified by Audit on RISQS

Audit Expiry: 10/01/2022

G. Scott



RISQS Scheme Manager

Modules Covered

Construction Design and Management Comply,Core,Sentinel

Supplier ID: 6347

Supplier Name: SigTech Rail Consultancy Ltd

| <u>Product Code</u> | <u>Product Name</u> | <u>Result</u> |
|---------------------|---|---------------|
| A.A.1.2N | Temporary Labour (Electrification) Service | ✓ |
| A.A.1.3N | Temporary Labour (Signalling) Service | ✓ |
| A.A.1.4N | Temporary Labour (Telecomms) Service | ✓ |
| B.C.1.1.1T | Track Circuits (including Level Crossings) Commission | ✓ |
| B.C.1.1.1V | Track Circuits (including Level Crossings) Maintain | ✓ |
| B.C.1.1.1W | Track Circuits (including Level Crossings) Overhaul | ✓ |
| B.C.1.1.1X | Track Circuits (including Level Crossings) Install | ✓ |
| B.C.1.1.1Y | Track Circuits (including Level Crossings) Modify | ✓ |
| B.C.1.1.1Z | Track Circuits (including Level Crossings) Decommission | ✓ |
| B.C.1.1.2T | Track Circuit Interrupters Commission | ✓ |
| B.C.1.1.2V | Track Circuit Interrupters Maintain | ✓ |
| B.C.1.1.2X | Track Circuit Interrupters Install | ✓ |
| B.C.1.1.2Y | Track Circuit Interrupters Modify | ✓ |
| B.C.1.1.2Z | Track Circuit Interrupters Decommission | ✓ |
| B.C.1.1.3T | Axle Counters (including Level Crossings) Commission | ✓ |
| B.C.1.1.3V | Axle Counters (including Level Crossings) Maintain | ✓ |
| B.C.1.1.3X | Axle Counters (including Level Crossings) Install | ✓ |
| B.C.1.1.3Y | Axle Counters (including Level Crossings) Modify | ✓ |
| B.C.1.1.3Z | Axle Counters (including Level Crossings) Decommission | ✓ |
| B.C.1.1.4T | Treadles (including Level Crossings) Commission | ✓ |
| B.C.1.1.4V | Treadles (including Level Crossings) Maintain | ✓ |
| B.C.1.1.4X | Treadles (including Level Crossings) Install | ✓ |
| B.C.1.1.4Y | Treadles (including Level Crossings) Modify | ✓ |
| B.C.1.1.4Z | Treadles (including Level Crossings) Decommission | ✓ |
| B.C.1.2.1V | Colour Light Signals Maintain | ✓ |
| B.C.1.2.1X | Colour Light Signals Install | ✓ |
| B.C.1.2.1Y | Colour Light Signals Modify | ✓ |
| B.C.1.2.2V | Banner Signals Maintain | ✓ |
| B.C.1.2.2X | Banner Signals Install | ✓ |
| B.C.1.2.2Y | Banner Signals Modify | ✓ |
| B.C.1.2.3V | Draw Ahead Signals Maintain | ✓ |
| B.C.1.2.3X | Draw Ahead Signals Install | ✓ |
| B.C.1.2.4V | Ground Position Light Signals Maintain | ✓ |
| B.C.1.2.4X | Ground Position Light Signals Install | ✓ |
| B.C.1.2.4Y | Ground Position Light Signals Modify | ✓ |
| B.C.1.2.5V | Signal Lamps (including LEDs) & Lamp Holders Maintain | ✓ |
| B.C.1.2.5X | Signal Lamps (including LEDs) & Lamp Holders Install | ✓ |
| B.C.1.2.5Y | Signal Lamps (including LEDs) & Lamp Holders Modify | ✓ |
| B.C.1.2.6V | Signal Lenses Maintain | ✓ |
| B.C.1.2.6X | Signal Lenses Install | ✓ |
| B.C.1.2.6Y | Signal Lenses Modify | ✓ |
| B.C.1.2.7V | Points Indicators Maintain | ✓ |
| B.C.1.2.7X | Points Indicators Install | ✓ |
| B.C.1.2.7Y | Points Indicators Modify | ✓ |
| B.C.1.2.8V | Right Away/Close Door Indicators (RA/CD) Maintain | ✓ |

| <u>Product Code</u> | <u>Product Name</u> | <u>Result</u> |
|---------------------|--|---------------|
| B.C.1.2.8X | Right Away/Close Door Indicators (RA/CD) Install | ✓ |
| B.C.1.2.8Y | Right Away/Close Door Indicators (RA/CD) Modify | ✓ |
| B.C.1.2.9V | Off Indicators Maintain | ✓ |
| B.C.1.2.9X | Off Indicators Install | ✓ |
| B.C.1.2.9Y | Off Indicators Modify | ✓ |
| B.C.1.2.10V | Train Ready To Start (TRTS) Maintain | ✓ |
| B.C.1.2.10X | Train Ready To Start (TRTS) Install | ✓ |
| B.C.1.2.11V | Marker Posts - Shunt & SPAD Indicators Maintain | ✓ |
| B.C.1.2.11X | Marker Posts - Shunt & SPAD Indicators Install | ✓ |
| B.C.1.2.11Y | Marker Posts - Shunt & SPAD Indicators Modify | ✓ |
| B.C.1.3.2V | Level Crossing Mechanical Equipment e.g. Booms & Barriers Maintain | ✓ |
| B.C.1.3.3V | Level Crossing Warning Devices Maintain | ✓ |
| B.C.1.3.4V | Light Units/Wig Wags Maintain | ✓ |
| B.C.1.3.5V | Audible Devices - Bells Maintain | ✓ |
| B.C.1.3.6V | Signage Maintain | ✓ |
| B.C.1.4.1V | HPSS Maintain | ✓ |
| B.C.1.4.1X | HPSS Install | ✓ |
| B.C.1.4.2V | Clamplock Points Maintain | ✓ |
| B.C.1.4.2X | Clamplock Points Install | ✓ |
| B.C.1.4.3V | Point Machines Maintain | ✓ |
| B.C.1.4.3X | Point Machines Install | ✓ |
| B.C.1.4.4V | Mechanical Backdrive Maintain | ✓ |
| B.C.1.4.4X | Mechanical Backdrive Install | ✓ |
| B.C.1.4.5V | Powerlink Backdrive Maintain | ✓ |
| B.C.1.4.5X | Powerlink Backdrive Install | ✓ |
| B.C.1.4.6V | SO (Hydraulic Backdrive) Maintain | ✓ |
| B.C.1.4.6X | SO (Hydraulic Backdrive) Install | ✓ |
| B.C.1.5.1V | Patrolman Switch Maintain | ✓ |
| B.C.1.5.1X | Patrolman Switch Install | ✓ |
| B.C.1.9.1V | Ground Frames Manual Maintain | ✓ |
| B.C.1.9.1X | Ground Frames Manual Install | ✓ |
| B.C.1.9.1Y | Ground Frames Manual Modify | ✓ |
| B.C.1.9.1Z | Ground Frames Manual Decommission | ✓ |
| B.C.1.9.2T | Ground Frames Powered Commission | ✓ |
| B.C.1.9.2V | Ground Frames Powered Maintain | ✓ |
| B.C.1.9.2X | Ground Frames Powered Install | ✓ |
| B.C.1.9.2Y | Ground Frames Powered Modify | ✓ |
| B.C.1.9.2Z | Ground Frames Powered Decommission | ✓ |
| B.C.1.9.3T | Lever Frames (Mechanical & Electro Mechanical) Commission | ✓ |
| B.C.1.9.3V | Lever Frames (Mechanical & Electro Mechanical) Maintain | ✓ |
| B.C.1.9.3X | Lever Frames (Mechanical & Electro Mechanical) Install | ✓ |
| B.C.1.9.3Y | Lever Frames (Mechanical & Electro Mechanical) Modify | ✓ |
| B.C.1.9.3Z | Lever Frames (Mechanical & Electro Mechanical) Decommission | ✓ |
| B.C.1.9.4T | Semaphore Signals Commission | ✓ |
| B.C.1.9.4V | Semaphore Signals Maintain | ✓ |
| B.C.1.9.4X | Semaphore Signals Install | ✓ |
| B.C.1.9.4Y | Semaphore Signals Modify | ✓ |
| B.C.1.9.4Z | Semaphore Signals Decommission | ✓ |
| B.C.1.9.6V | Block Instruments Maintain | ✓ |
| B.C.1.9.6X | Block Instruments Install | ✓ |

| <u>Product Code</u> | <u>Product Name</u> | <u>Result</u> |
|---------------------|--|---------------|
| B.C.1.9.7V | Token Instruments Maintain | ✓ |
| B.C.1.9.7X | Token Instruments Install | ✓ |
| B.C.1.10.1V | ATP Equipment Maintain | ✓ |
| B.C.1.10.1X | ATP Equipment Install | ✓ |
| B.C.1.10.2T | AWS Track Equipment Commission | ✓ |
| B.C.1.10.2V | AWS Track Equipment Maintain | ✓ |
| B.C.1.10.2X | AWS Track Equipment Install | ✓ |
| B.C.1.10.2Y | AWS Track Equipment Modify | ✓ |
| B.C.1.10.2Z | AWS Track Equipment Decommission | ✓ |
| B.C.1.10.3T | TPWS & Associated Equipment Commission | ✓ |
| B.C.1.10.3V | TPWS & Associated Equipment Maintain | ✓ |
| B.C.1.10.3X | TPWS & Associated Equipment Install | ✓ |
| B.C.1.10.3Y | TPWS & Associated Equipment Modify | ✓ |
| B.C.1.10.3Z | TPWS & Associated Equipment Decommission | ✓ |
| B.C.1.10.4V | Tilt Authorisation & Speed Supervision Equipment Maintain | ✓ |
| B.C.1.10.4X | Tilt Authorisation & Speed Supervision Equipment Install | ✓ |
| B.C.1.11.4V | Signalling Cable Maintain | ✓ |
| B.C.1.11.4X | Signalling Cable Install | ✓ |
| B.C.1.11.4Y | Signalling Cable Modify | ✓ |
| B.C.1.12.1T | Condition Monitoring Commission | ✓ |
| B.C.1.12.1V | Condition Monitoring Maintain | ✓ |
| B.C.1.12.1X | Condition Monitoring Install | ✓ |
| B.C.1.12.1Y | Condition Monitoring Modify | ✓ |
| B.C.1.12.1Z | Condition Monitoring Decommission | ✓ |
| B.C.1.12.2T | Electronic Digital System Event Loggers Commission | ✓ |
| B.C.1.12.2V | Electronic Digital System Event Loggers Maintain | ✓ |
| B.C.1.12.2X | Electronic Digital System Event Loggers Install | ✓ |
| B.C.1.12.2Y | Electronic Digital System Event Loggers Modify | ✓ |
| B.C.1.12.2Z | Electronic Digital System Event Loggers Decommission | ✓ |
| B.C.1.12.3T | Voltage Free Relay Event Loggers Commission | ✓ |
| B.C.1.12.3V | Voltage Free Relay Event Loggers Maintain | ✓ |
| B.C.1.12.3X | Voltage Free Relay Event Loggers Install | ✓ |
| B.C.1.12.3Y | Voltage Free Relay Event Loggers Modify | ✓ |
| B.C.1.12.3Z | Voltage Free Relay Event Loggers Decommission | ✓ |
| B.C.2.2.4X | Telecomm Cabling (Multiple Pair Copper) Install | ✓ |
| B.C.2.2.5X | Telecomm Cabling (Co-Ax) Install | ✓ |
| B.C.2.2.6X | Telecomm Cabling (Data Cabling) Install | ✓ |
| B.C.2.2.7X | Telecomm Cabling (Fibre) Install | ✓ |
| C.B.2.1V | Switches & Crossings Conventional Maintain | ✓ |
| C.B.2.1X | Switches & Crossings Conventional Install | ✓ |
| C.B.2.2V | Switches & Crossings (Absolute Geometry) Maintain | ✓ |
| C.B.2.2X | Switches & Crossings (Absolute Geometry) Install | ✓ |
| A.A.9.1N | Provision of Protection & Warning Staff (not including LOWS) Service | ✓ |
| F.C.2.1V | ETE Conductor Rail & Associated Cabling Maintain | ✓ |
| F.C.2.2V | Depot Conductor Systems Maintain | ✓ |
| F.C.2.3V | ETE Negative Bonding Maintain | ✓ |
| F.C.3.1V | Substations/Switching Stations Maintain | ✓ |
| F.C.3.2V | HV Cabling Maintain | ✓ |
| F.C.3.3V | Trackside Equipment Maintain | ✓ |
| F.C.4.1V | Substations/Switching Stations/Track Paralleling Huts Maintain | ✓ |

| <u>Product Code</u> | <u>Product Name</u> | <u>Result</u> |
|---------------------|------------------------------|---------------|
| F.C.4.2V | DC Cabling Maintain | ✓ |
| F.C.4.3V | Trackside Equipment Maintain | ✓ |